

GOVERNMENT OF WEST BENGAL
OFFICE OF THE SUPERINTENDENT
M.J.N. DISTRICT HOSPITAL, COOCH BEHAR

NIT No. 2065.

Date 23-07-16

TENDER NOTICE

Sealed Tender is here by invited on behalf Rogi Kolyan Samiti, MJN Hospital, Cooch Behar for Supply and Installation of 52" LED TV (2nos.) at MJN Hospital, Cooch Behar from Reputed Authorized Dealer/Supplier/Distributor in specified Specification mention herein after in this Tender Notice

All rates shall be quoted in quoted in prescribe format enclosed as Annexure 'A' with the tender notice

1. Importance Instruction to the Tenderes:

The willing Distributer/Dealer/Supplier are advised to submit their bids with requisite documents in sealed envelope super cribbing '**Tender for Supply and Installation LED TV At MJN Hospital, Cooch Behar**' dropped into **Tender Box** kept at Officer Chamber of Superintendent, MJN Hospital, Cooch Behar. **Last Date of submission of Tender Document is 01/08/2016 within 4 pm.**

2. The conditional bids shall not be considered and will be out right rejected in very first instance.
3. Rate should be clearly mentioned in figure and words, No overwriting or cutting is permitted in the Bid Form.
4. Bids shall be opened on 02.08.2016 at 3.00 pm at Office Chamber of Superintendent, MJN Hospital, Cooch Behar. Willing bidders or his authorized representative may present during opening of bids documents.

5. The bidders shall submit the following document with application:-

- (a) The bidder should be Authorized Dealer/Distributor of Original Equipment Manufacturer. Proof document of such must be attached with bid document.
- (b) Earnest Money of Rs. 10,000/- (Rupees Ten Thousand) to be deposited in for Demand Draft in favour of Rogi Kolyan Samity MJN Hospital, Cooch Behar. Without EMD, tender document shall be deemed unfit and canceled without assign reason thereof.
- (c) Copy of PAN
- (d) VAT Registration Certificate and VAT Clearance Certificate.
- (e) Income Tax Returns of last three years.
- (f) Detailed specification to submitted for which the price bid has been submitted.
- (g) A written undertaking to the effect that the firm is not blacklisted by any institution/Government Department.

The bidder, who fails to submit the document mentioned above shall stand disqualified.

6. The offer rate should include the cost of all required accessories inclusive of all taxes and statutory levies.
7. The Supply should be completed in all respect within 07 days of issue of the Work Order failing of which the Work Order treat as canceled and EMD will be forfeited.
8. Tender Committee has full right to accept and reject full or part of the tender without assigned reason thereof.

Specification for the LED Television Set

1. The LED Television set must be of commercial category having capability of operating 24 hours or at least 16 hours per day constantly.
2. The LED Television set should have the internal storage of at least 4 GB and inbuilt media player so as to eliminate the requirement of separate DVD players.
3. The LED Television set should have the "Event Scheduler" to run and stop the preloaded IEC content in a pre-schedule manner. This will also ensure proper rest to the television set.
4. The LED Television set should have the USB Out and RJ45 connectivity.
5. The LED Television set should have the Energy Star Compliance of maximum rating.

Sd/-
Superintendent
MJN Hospital, Cooch Behar

Memo No. : MJNH/CBR/2065

Date: 23.07.2016

Copy forwarded for information & necessary action with a request with display this NIT at office notice board:-

- 1) The Sabhadhipati, Cooch Behar Zilla Parishad.
- 2) The District Magistrate, Cooch Behar.
- 3) The Superintendent of Police, Cooch Behar.
- 4) The Chief Medical Officer of Health, Cooch Behar.
- 5) The Sub-Divisional Officer, Cooch Behar Sadar.
- 6) The Dy-CMOH-I, Cooch Behar
- 7) The District Informatic Officer, NIC, Cooch Behar, with request to publish in the district website.
- 8) The Manager, Creative Ads, Cooch Behar for single column publication in daily 'Ajkal' of above Notice on **24/07/2016** and the cost of advertisement will be made from this end.
- 9) Notice Board of this Office.
- 10) Office Copy.

**Superintendent
MJN Hospital, Cooch Behar**

Annexure "A"

Rate Quotation Form (To be attached with bid document)

Sl. No.	Item description	Rate (In Rs. Inclusive of all taxes and cartage)	Warranty Period
1.	<ul style="list-style-type: none">• The LED Television set must be of commercial category having capability of operating 24 hours or at least 16 hours per day constantly.• The LED Television set should have the internal storage of at least 4 GB and inbuilt media player so as to eliminate the requirement of separate DVD players.• The LED Television set should have the "Event Scheduler" to run and stop the preloaded IEC content in a pre-schedule manner. This will also ensure proper rest to the television set.• The LED Television set should have the USB Out and RJ45 connectivity.• The LED Television set should have the Energy Star Compliance of maximum rating.		

**Signature of Bidder with
Official seal**